## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.

4.		-	
`			
	2		
			the state of the s

12,31

IF UNDELIVERED RETURN TO


## LOUISVILLE SEED CO.

INCORPORATED

Exclusively Wholesale

831 W. Main Street - LOUISVILLE, KY.

RETURN POSTAGE GUARANTEED



Horticultural Crons & Diseases, U. S. Dent. of Agriculture, Washington, D. C.

### PRICE LIST

Today's Most Important Mail

	1. 1	1		
1				
4				
			4	
				*
		. 191		



Subject to immediate acceptance and market change we quote f.o.b. Louisville,

APRIL 3rd, 1940

Seeds Are Sold F	or Cash	
------------------	---------	--

Terms: Draft with bill of lading attached. Open shipments subject to sight draft within ten days.

	RED	C	L	V	ER	PER 100 LBS
					1 to 4	5 bags or more
Gold Medal		,			\$18.00	\$17.50
Choice					17.50	17.00
R. C						16.00
S	APLI	NO	J	CI	LOVER	
Gold Medal						
Choice						
R. C					17.00	16.50
	A					
Gold Medal						
Choice						
R. C		٠	•	٠	19.50	19.00
	,	T 1	E A	T 1	7.4	
Cold Model					FA	602 50
Gold Medal Gold Medal						
Gold Medal	UK1.	a			\$40.00	\$19.50
	GRI	MN	4	Al	LFALFA	
Gold Medal						
Gold Medal					\$22.50	
					<b>4-1</b> .00	<b>4</b>
S	WEET	Γ	CI	0	VER	
Gold Medal	Wh.	B	10		\$6.75	\$6.50
Gold Medal	Yel	.B	10		7.00	6.75
Unhulled W	hite	B	lo.		5. 25	5.00
					N	
Gold Medal						
Choice					5.25	
R. C		•			4.75	4.50

narket change we quote 1.o.b. Louisvill
TIMOTHY BED 100 LBS
bags or more
Gold Medal \$6.00 \$5.75
Abe(99% pure) 5.75 5.50
Choice 5.25 5.00
R. C 4.75 4.50
ORCHARD GRASS
Gold Medal \$17.00 \$16.50
Choice 17.00 16.50
R. C 16.00 15.50
KENTUCKY BLUE GRASS
Gold Medal \$20.00 \$19.50
Choice 19.50 19.00
Extra Heavy Fancy . 25.00 24.00
RED TOP
Gold Medal \$11.00 \$10.75
Abe (90% pure) 10.75 10.50
Chains 10.75 10.00
Choice 10.25 10.00
R. C 10.00 9.75
PASTURE MIXTURE
Contains Red Clover, Red Top, Tim-
othy, Orchard Grass, Korean.
\$8.50 \$8.00
RYE GRASS
Gold Medal \$6.50 \$6.25
υνα μισαμά του του φυν μυ
FODDER CANE
Orange \$3.00 \$2.80
Red Top 3.50 3.30
MISCELLANEOUS
White Clover 65.00 60.00
Tenn. Ger. Millet . 3.20 3.00
Sudan Grass 4.25 4.00
Bermuda Grass 31.00 30.00
Common Lespedeza . 12.50 12.00
Kobe " . 12.50 12.00
. 12.00 12.00
ALL STATE TAGS AND
COMMO INVOLCED AT COCT

SOY BEANS					
SOT BEAMS	PER E	10 bags			
Vimainia	Days	or more			
Virginia	\$1.50	\$1.45			
Black	1.45	1.40			
Early Yellow		1.50			
Mammoth Yellow		1.60			
Sou. Laredo	2.00	1.90			
COW PEAS					
Whipporwills	\$1.85	\$1.80			
New Era	1.75				
Mixed	1.65	1.60			
	2.00	1,00			
SEED CORN					
Reids Yellow Dent	\$1.60				
Boone County White	1.60				
Johnson Co. White	1.60				
Hickory King	1.75	1.65			
SEED OATS					
White	\$.75	\$.70			
Red	.80	.75			
Winter Turf	1.00	. 95			
TAWN OR LO	0				
LAWN GRAS		PER CWT,			
Shady Place		\$28.00			
Gold Medal		26.00			
Cherokee					
In attractive one pound cartons,					
packed thirty and fifty to a case.					
Above grades in bulk \$2	2.00 cwt	less.			
SEED SOWERS		DOZEN			
Cyclone \$		\$20.00			
Horn		7. 10			
	• 00				
AMPLE STOCKS ON I	HAND F	OR			

LATE RUSH. SHIPMENTS MADE

SAME DAY ORDER RECIEVED.

ORDERS FOR LESS THAN BAG LOTS WILL BE CHARGED FOR 50¢ PER 100 LBS HIGHER THAN LIST PRICES.

STAMPS INVOICED AT COST

DISCLAIMER == The Louisville Seed Company gives no warranty, expressed or implied, as to description, quality or ny other matter of any seed it sells and will not be responsible for the crop.



S		and the same of th	
`			
1101			

# OUR GUARANTEE

IF ANY SHIPMENT OF SEEDS IS NOT AS GOOD AS SAMPLE OR BETTER; IF ANY SHIPMENT OF SEEDS IS NOT SOUND, CLEAN AND GOOD; IF WE DO NOT FULFILL EVERY WRITTEN OR VERBAL PROMISE; IN A WORD, IF YOU ARE NOT THOROUGHLY SATISFIED WITH GOLD MEDAL SEEDS SHIP THEM BACK IMMEDIATELY AT OUR EXPENSE. WE TAKE ALL THE RISK; WE STAND ALL COST.

#### TACK UP FOR FUTURE REFERENCE



### "He Reaps Most Who Sows Best"

Lbs. Per Bu.   Lbs. Per Acre   47   Barley	LEGAL WEIGHTS OF SEED AND GRAIN ALSO QUANTITY PER ACRE					
60     Beans, Soy, broadcast     .60 – 80       14     Bluegrass, Kentucky     .21 – 28       48     Buckwheat     .50 – 75       50     Cane, Drill     .10 – 15       50     Cane, broadcast     .50 – 75       60     Clover, Alfalfa, drills     .15 – 20       60     Clover, Alfalfa, broadcast     .18 – 22       60     Clover, Alsike (alone for forage)     .8 – 15       60     Clover, Alsike (on wheat or rye in spring)     .4 – 6       60     Clover, Japan (Lespedeza)     .15 – 25       60     Clover, Sapling (Mammoth)     .10 – 15       60     Clover, Red (alone for forage)     .10 – 15       60     Clover, Red (on small grain in spring)     .7 – 12       60     Clover, Sweet (hulled)     .10 – 15       33     Clover, Sweet (unbulled)     .20 – 30       60     Clover, White     .10 – 20       60     Corn     .6 – 12       60     Corn (for Silage)     .40 – 56       50     Millet, All Varieties (for seed)     .25 – 40       50     Mi	Lbs.	Per Bu.	Lbs. Per Acre			
60   Beans, Soy, broadcast   60—80     14   Bluegrass, Kentucky   21—28     48   Buckwheat   50—75     50   Cane, Drill   10—15     50   Cane, broadcast   50—75     60   Clover, Alfalfa, drills   15—20     60   Clover, Alfalfa, broadcast   18—22     60   Clover, Alsike (alone for forage)   8—15     60   Clover, Alsike (on wheat or rye in spring)   4—6     60   Clover, Alsike (on wheat or rye in spring)   4—6     60   Clover, Japan (Lespedeza)   15—25     60   Clover, Sapling (Mammoth)   10—15     60   Clover, Red (alone for forage)   10—15     60   Clover, Red (on small grain in spring)   7—12     60   Clover, Sweet (unbulled)   20—30     60   Clover, White   10—15     50   Clover, White   10—20     50   Corn   6—12     50   Corn (for Silage)   40—56     Millet, All Varieties (for seed)   25—40     50   Millet, All Varieties (for hay)   40—50	47	Barley	75—100			
14   Bluegrass, Kentucky   21—28     48   Buckwheat   50—75     50   Cane, Drill   10—15     50   Cane, broadcast   50—75     60   Clover, Alfalfa, drills   15—20     60   Clover, Alfalfa, broadcast   18—22     60   Clover, Alsike (alone for forage)   8—15     60   Clover, Alsike (on wheat or rye in spring)   4—6     60   Clover, Alsike (on wheat or rye in spring)   4—6     60   Clover, Alsike (on wheat or rye in spring)   12—15     60   Clover, Sapling (Mammoth)   10—15     60   Clover, Sapling (Mammoth)   10—15     60   Clover, Red (alone for forage)   10—15     60   Clover, Red (on small grain in spring)   7—12     60   Clover, Sweet (hulled)   20—30     60   Clover, White   10—20     56   Corn   6—12     56   Corn   6—12     56   Corn (for Silage)   40—56     50   Millet, All Varieties (for seed)   25—40     50   Millet, All Varieties (for hay)   40—50<	60	Beans, Soy, drills	30 40			
48   Buckwheat   50— 75     50   Cane, Drill   10— 15     50   Cane, broadcast   50— 75     60   Clover, Alfalfa, drills   15— 20     60   Clover, Alfalfa, broadcast   18— 22     60   Clover, Alsike (alone for forage)   8— 15     60   Clover, Alsike (on wheat or rye in spring)   4— 6     60   Clover, Alsike (on wheat or rye in spring)   12— 15     60   Clover, Crimson   12— 15     60   Clover, Sapling (Mammoth)   10— 15     60   Clover, Sapling (Mammoth)   10— 15     60   Clover, Red (alone for forage)   10— 15     60   Clover, Red (on small grain in spring)   7— 12     60   Clover, Sweet (hulled)   10— 15     31   Clover, Sweet (unhulled)   20— 30     60   Clover, White   10— 20     50   Corn   6— 12     50   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 6	60	Beans, Soy, broadcast	60— 80			
50   Cane, Drill   10—15     50   Cane, broadcast   50—75     60   Clover, Alfalfa, drills   15—20     60   Clover, Alfalfa, broadcast   18—22     60   Clover, Alsike (alone for forage)   8—15     60   Clover, Alsike (on wheat or rye in spring)   4—6     60   Clover, Crimson   12—15     25   Clover, Japan (Lespedeza)   15—25     60   Clover, Sapling (Mammoth)   10—15     60   Clover, Red (alone for forage)   10—15     60   Clover, Red (on small grain in spring)   7—12     60   Clover, Sweet (hulled)   10—15     61   Clover, Sweet (unbulled)   20—30     62   Clover, White   10—20     63   Clover, White   10—20     64   Corn   6—12     65   Corn (for Silage)   40—56     60   Millet, All Varieties (for seed)   25—40     60   Millet, All Varieties (for hay)   40—50     60   Peas, Cowpeas (drills)   45—60     60   Peas, Cowpeas (broadcast)   75—90	14	Bluegrass, Kentucky	21— 28			
50   Cane, broadcast   50— 75     60   Clover, Alfalfa, drills   15— 20     60   Clover, Alfalfa, broadcast   18— 22     60   Clover, Alsike (alone for forage)   8— 15     60   Clover, Alsike (on wheat or rye in spring)   4— 6     60   Clover, Crimson   12— 15     25   Clover, Japan (Lespedeza)   15— 25     60   Clover, Sapling (Mammoth)   10— 15     60   Clover, Red (alone for forage)   10— 15     60   Clover, Red (on small grain in spring)   7— 12     60   Clover, Sweet (hulled)   20— 30     60   Clover, Sweet (unhulled)   20— 30     60   Clover, White   10— 20     50   Corn   6— 12     50   Corn (for Silage)   40— 56     Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90	48	Buckwheat	50 75			
60   Clover, Alfalfa, drills   15— 20     60   Clover, Alfalfa, broadcast   18— 22     60   Clover, Alsike (alone for forage)   8— 15     60   Clover, Alsike (on wheat or rye in spring)   4— 6     60   Clover, Crimson   12— 15     25   Clover, Japan (Lespedeza)   15— 25     60   Clover, Sapling (Mammoth)   10— 15     60   Clover, Red (alone for forage)   10— 15     60   Clover, Red (on small grain in spring)   7— 12     60   Clover, Sweet (hulled)   20— 30     60   Clover, Sweet (unbulled)   20— 30     60   Clover, White   10— 20     56   Corn   6— 12     60   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   10— 15 <td>50</td> <td>Cane, Drill</td> <td>10 15</td>	50	Cane, Drill	10 15			
60   Clover, Alfalfa, broadcast   18— 22     60   Clover, Alsike (alone for forage)   8— 15     60   Clover, Alsike (on wheat or rye in spring)   4— 6     60   Clover, Crimson   12— 15     25   Clover, Japan (Lespedeza)   15— 25     60   Clover, Sapling (Mammoth)   10— 15     60   Clover, Red (alone for forage)   10— 15     60   Clover, Red (on small grain in spring)   7— 12     60   Clover, Sweet (hulled)   10— 15     33   Clover, Sweet (unbulled)   20— 30     60   Clover, White   10— 20     56   Corn   6— 12     56   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   10— 15     50   Rape (broadcast)   8— 10 </td <td>50</td> <td>Cane, broadcast</td> <td>50 75</td>	50	Cane, broadcast	50 75			
60   Clover, Alsike (alone for forage)   8— 15     60   Clover, Alsike (on wheat or rye in spring)   4— 6     60   Clover, Crimson   12— 15     25   Clover, Japan (Lespedeza)   15— 25     60   Clover, Sapling (Mammoth)   10— 15     60   Clover, Red (alone for forage)   10— 15     60   Clover, Red (on small grain in spring)   7— 12     60   Clover, Sweet (hulled)   20— 30     60   Clover, Sweet (unbulled)   20— 30     60   Clover, White   10— 20     56   Corn   6— 12     56   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top (unbulled)   10— 15 <t< td=""><td>60</td><td>Clover, Alfalfa, drills</td><td>15— 20</td></t<>	60	Clover, Alfalfa, drills	15— 20			
60   Clover, Alsike (on wheat or rye in spring)   4— 6     60   Clover, Crimson   12— 15     25   Clover, Japan (Lespedeza)   15— 25     60   Clover, Sapling (Mammoth)   10— 15     60   Clover, Red (alone for forage)   10— 15     60   Clover, Red (on small grain in spring)   7— 12     60   Clover, Sweet (hulled)   20— 30     60   Clover, White   10— 20     56   Corn   6— 12     56   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Timothy   10— 15     45   Timoth	69	Clover, Alfalfa, broadcast	18— 22			
60   Clover, Crimson   12— 15     25   Clover, Japan (Lespedeza)   15— 25     60   Clover, Sapling (Mammoth)   10— 15     60   Clover, Red (alone for forage)   10— 15     60   Clover, Red (on small grain in spring)   7— 12     60   Clover, Sweet (hulled)   20— 30     60   Clover, Sweet (unhulled)   20— 30     60   Clover, White   10— 20     56   Corn   6— 12     56   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Timothy   10— 15     45   Timothy <td< td=""><td>60</td><td>Clover, Alsike (alone for forage)</td><td> 8— 15</td></td<>	60	Clover, Alsike (alone for forage)	8— 15			
25   Clover, Japan (Lespedeza)   15— 25     60   Clover, Sapling (Mammoth)   10— 15     60   Clover, Red (alone for forage)   10— 15     60   Clover, Red (on small grain in spring)   7— 12     60   Clover, Sweet (hulled)   20— 30     60   Clover, Sweet (unhulled)   20— 30     60   Clover, White   10— 20     56   Corn   6— 12     56   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Timothy   10— 15     50   Timothy   10— 15     50   Timothy and Alsike	60	Clover, Alsike (on wheat or rye in spring).	4— 6			
60   Clover, Sapling (Mammoth)   10— 15     60   Clover, Red (alone for forage)   10— 15     60   Clover, Red (on small grain in spring)   7— 12     60   Clover, Sweet (hulled)   20— 30     60   Clover, Sweet (unhulled)   20— 30     60   Clover, White   10— 20     56   Corn   6— 12     56   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Sudan Grass   15— 25     45   Timothy   10— 15     45   Timothy and Alsike   8— 10     Vetch, Hairy (drills)   35— 50	60					
60   Clover, Sapling (Mammoth)   10— 15     60   Clover, Red (alone for forage)   10— 15     60   Clover, Red (on small grain in spring)   7— 12     60   Clover, Sweet (hulled)   20— 30     60   Clover, Sweet (unhulled)   20— 30     60   Clover, White   10— 20     56   Corn   6— 12     56   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Sudan Grass   15— 25     45   Timothy   10— 15     45   Timothy and Alsike   8— 10     Vetch, Hairy (drills)   35— 50	25	Clover, Japan (Lespedeza)	15 25			
60   Clover, Red (on small grain in spring)   7— 12     60   Clover, Sweet (hulled)   10— 15     33   Clover, Sweet (unhulled)   20— 30     60   Clover, White   10— 20     56   Corn   6— 12     56   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Rye   56—112     25   Sudan Grass   15— 25     45   Timothy   10— 15     45   Timothy and Alsike   8— 10     60   Vetch, Hairy (drills)   35— 50     60   Vetch, Hairy (broadcast)   50— 75	60	Clover, Sapling (Mammoth)	10— 15			
60   Clover, Sweet (hulled)   10— 15     33   Clover, Sweet (unhulled)   20— 30     60   Clover, White   10— 20     56   Corn   6— 12     56   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Rye   56—112     25   Sudan Grass   15— 25     45   Timothy   10— 15     45   Timothy and Alsike   8— 10     60   Vetch, Hairy (drills)   35— 50     60   Vetch, Hairy (broadcast)   50— 75     60   Wheat   90—120	60	Clover, Red (alone for forage)	10— 15			
33   Clover, Sweet (unhulled)   20—30     60   Clover, White   10—20     56   Corn   6—12     56   Corn (for Silage)   40—56     50   Millet, All Varieties (for seed)   25—40     50   Millet, All Varieties (for hay)   40—50     32   Oats   50—65     14   Orchard Grass   20—30     60   Peas, Cowpeas (drills)   45—60     60   Peas, Cowpeas (broadcast)   75—90     50   Rape (drill)   4—8     50   Rape (broadcast)   8—10     14   Red Top Fancy   7—12     14   Red Top (unhulled)   10—15     56   Rye   56—112     25   Sudan Grass   15—25     45   Timothy   10—15     45   Timothy and Alsike   8—10     60   Vetch, Hairy (drills)   35—50     60   Vetch, Hairy (broadcast)   50—75     60   Wheat   90—120	60	Clover, Red (on small grain in spring)	7— 12			
60   Clover, White   10— 20     56   Corn   6— 12     56   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Rye   56—112     25   Sudan Grass   15— 25     45   Timothy   10— 15     45   Timothy and Alsike   8— 10     60   Vetch, Hairy (drills)   35— 50     60   Vetch, Hairy (broadcast)   50— 75     60   Wheat   90—120	60	Clover, Sweet (hulled)	10— 15			
56   Corn   6— 12     56   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Rye   56—112     25   Sudan Grass   15— 25     45   Timothy   10— 15     45   Timothy and Alsike   8— 10     60   Vetch, Hairy (drills)   35— 50     60   Vetch, Hairy (broadcast)   50— 75     60   Wheat   90—120	33	Clover, Sweet (unbulled)	20— 30			
56   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Rye   56—112     25   Sudan Grass   15— 25     45   Timothy   10— 15     45   Timothy and Alsike   8— 10     60   Vetch, Hairy (drills)   35— 50     60   Vetch, Hairy (broadcast)   50— 75     60   Wheat   90—120	60					
56   Corn (for Silage)   40— 56     50   Millet, All Varieties (for seed)   25— 40     50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Rye   56—112     25   Sudan Grass   15— 25     45   Timothy   10— 15     45   Timothy and Alsike   8— 10     60   Vetch, Hairy (drills)   35— 50     60   Vetch, Hairy (broadcast)   50— 75     60   Wheat   90—120	56	Corn	6 12			
50   Millet, All Varieties (for hay)   40— 50     32   Oats   50— 65     14   Orchard Grass   20— 30     60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Rye   56—112     25   Sudan Grass   15— 25     45   Timothy   10— 15     45   Timothy and Alsike   8— 10     60   Vetch, Hairy (drills)   35— 50     60   Vetch, Hairy (broadcast)   50— 75     60   Wheat   90—120	56	Corn (for Silage)	40— 56			
32 Oats   50—65     14 Orchard Grass   20—30     60 Peas, Cowpeas (drills)   45—60     60 Peas, Cowpeas (broadcast)   75—90     50 Rape (drill)   4—8     50 Rape (broadcast)   8—10     14 Red Top Fancy   7—12     14 Red Top (unhulled)   10—15     56 Rye   56—112     25 Sudan Grass   15—25     45 Timothy   10—15     45 Timothy and Alsike   8—10     60 Vetch, Hairy (drills)   35—50     60 Vetch, Hairy (broadcast)   50—75     60 Wheat   90—120	50	Millet, All Varieties (for seed)	25— 40			
14 Orchard Grass   20— 30     60 Peas, Cowpeas (drills)   45— 60     60 Peas, Cowpeas (broadcast)   75— 90     50 Rape (drill)   4— 8     50 Rape (broadcast)   8— 10     14 Red Top Fancy   7— 12     14 Red Top (unhulled)   10— 15     56 Rye   56—112     25 Sudan Grass   15— 25     45 Timothy   10— 15     45 Timothy and Alsike   8— 10     60 Vetch, Hairy (drills)   35— 50     60 Vetch, Hairy (broadcast)   50— 75     60 Wheat   90—120	50	Millet, All Varieties (for hay)	40— 50			
60   Peas, Cowpeas (drills)   45— 60     60   Peas, Cowpeas (broadcast)   75— 90     50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Rye   56—112     25   Sudan Grass   15— 25     45   Timothy   10— 15     45   Timothy and Alsike   8— 10     60   Vetch, Hairy (drills)   35— 50     60   Vetch, Hairy (broadcast)   50— 75     60   Wheat   90—120	32	Oats	50— 65			
60   Peas, Cowpeas (broadcast)   75—90     50   Rape (drill)   4—8     50   Rape (broadcast)   8—10     14   Red Top Fancy   7—12     14   Red Top (unhulled)   10—15     56   Rye   56—112     25   Sudan Grass   15—25     45   Timothy   10—15     45   Timothy and Alsike   8—10     60   Vetch, Hairy (drills)   35—50     60   Vetch, Hairy (broadcast)   50—75     60   Wheat   90—120	14					
50   Rape (drill)   4— 8     50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Rye   56—112     25   Sudan Grass   15— 25     45   Timothy   10— 15     45   Timothy and Alsike   8— 10     60   Vetch, Hairy (drills)   35— 50     60   Vetch, Hairy (broadcast)   50— 75     60   Wheat   90—120	60	Peas, Cowpeas (drills)	45— 60			
50   Rape (broadcast)   8— 10     14   Red Top Fancy   7— 12     14   Red Top (unhulled)   10— 15     56   Rye   56—112     25   Sudan Grass   15— 25     45   Timothy   10— 15     45   Timothy and Alsike   8— 10     60   Vetch, Hairy (drills)   35— 50     60   Vetch, Hairy (broadcast)   50— 75     60   Wheat   90—120	60	Peas, Cowpeas (broadcast)	75— 90			
14 Red Top Fancy   7— 12     14 Red Top (unhulled)   10— 15     56 Rye   56—112     25 Sudan Grass   15— 25     45 Timothy   10— 15     45 Timothy and Alsike   8— 10     60 Vetch, Hairy (drills)   35— 50     60 Vetch, Hairy (broadcast)   50— 75     60 Wheat   90—120	50	Rape (drill)	4— 8			
14 Red Top (unhulled)   10—15     56 Rye   56—112     25 Sudan Grass   15—25     45 Timothy   10—15     45 Timothy and Alsike   8—10     60 Vetch, Hairy (drills)   35—50     60 Vetch, Hairy (broadcast)   50—75     60 Wheat   90—120	50	Rape (broadcast)	8— 10			
56   Rye   56—112     25   Sudan Grass   15—25     45   Timothy   10—15     45   Timothy and Alsike   8—10     60   Vetch, Hairy (drills)   35—50     60   Vetch, Hairy (broadcast)   50—75     60   Wheat   90—120	14	Red Top Fancy	7— 12			
25   Sudan Grass   15— 25     45   Timothy   10— 15     45   Timothy and Alsike   8— 10     60   Vetch, Hairy (drills)   35— 50     60   Vetch, Hairy (broadcast)   50— 75     60   Wheat   90—120	14	Red Top (unhulled)	10— 15			
45   Timothy   10—15     45   Timothy and Alsike   8—10     60   Vetch, Hairy (drills)   35—50     60   Vetch, Hairy (broadcast)   50—75     60   Wheat   90—120	56	Rye	56—112			
45 Timothy and Alsike   8— 10     60 Vetch, Hairy (drills)   35— 50     60 Vetch, Hairy (broadcast)   50— 75     60 Wheat   90—120	25	Sudan Grass	15— 25			
60   Vetch, Hairy (drills)   35— 50     60   Vetch, Hairy (broadcast)   50— 75     60   Wheat   90—120	45					
60 Vetch, Hairy (broadcast)50— 75 60 Wheat90—120	45	Timothy and Alsike	8— 10			
60 Wheat90—120	60	Vetch, Hairy (drills)	35— 50			
	60	Vetch, Hairy (broadcast)	50 75			
	60	Wheat	90—120			

## Louisville Seed Company

831 West Main Street

LOUISVILLE, KENTUCKY